

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|---|---------------------|
| 1 | 2 | "20030163615" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 16:30 |
| 2 | 2 | 5671355.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:23 |
| 3 | 657 | bus near2(type kind format))near5(detect\$3 determin\$ identif\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:25 |
| 4 | 47586 | bus near4(select\$3 switch\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:25 |
| 5 | 55 | (bus near2(type kind format))near5(detect\$3 determin\$ identif\$) same (bus near4(select\$3 switch\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:46 |
| 6 | 253 | ((bus near2(type kind format))near5(detect\$3 determin\$ identif\$) and (bus near4(select\$3 switch\$3)))not ((bus near2(type kind format))near5(detect\$3 determin\$ identif\$) same (bus near4(select\$3 switch\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:46 |
| 7 | 238 | ((bus near2(type kind format))near5(detect\$3 determin\$ identif\$) and (bus near4(select\$3 switch\$3)))not ((bus near2(type kind format))near5(detect\$3 determin\$ identif\$) same (bus near4(select\$3 switch\$3)))) and(@ad<20020222 @prad<20020222 @rlad<20020222) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 18:32 |
| 8 | 2 | 5594874.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 18:32 |